


2-Channel CVSD Voice Conditioner Module



Applications

- Flight Test Instrumentation
- Cockpit Voice, Microphone Systems
- Voice I/O (storage) in Data Processing
- Telecommunications

Features

- Voice Conditioner Module, 2-Channel
- All-Digital CVSD Encoding
 - Programmable Bits/Word
 - Programmable Sample Rate
- Compression/Transmission over Low Band-width Systems
- Front-End Flexibility and Compatibility
 - 5, 10, 20, or 40 Volt Microphone Systems
 - Bandpass Filtering
- MEDAU-2000 and MCDAU-2000 Compatible Module
- Meets IRIG-106-96, Chapter 5
- Windows 95/98/NT/2000 Software Included

Description

The MCVS-102V is a 2-channel voice encoder module for use in TTC's MEDAU-2000 or MCDAU-2000 series products. The module accepts voltages from amplified microphones and encodes these levels using the Continuously Variable Slope Delta (CVSD) modulation technique, into data words for transmission in the system PCM output format.

Revision 05/12/2015

MCVS-102V Datasheet

©2015 Teletronics - A Curtiss-Wright Company

Specifications subject to change without notice.

Approved for Public Release 16-S-0401



CAIS
Compatible



Management
System
AS9100C
ISO 9001:2008

Teletronics - A Curtiss-Wright Company

15 Terry Drive, Newtown, PA 18940

phone: 267.352.2020 fax: 267.352.2021 Sales@ttcdas.com

www.ttcdas.com