


### High-Resolution JPEG-2000 RGB Video Acquisition Module



#### Applications

- Flight test instrumentation
- Air vehicle test, certification or development
- Ethernet-based distributed network systems
- System safety monitoring

#### Features

- Plug-in video acquisition module for the MnHSD-2000-1 product
- Resolution from 320x400 / 60 Hz to 1600x1280 / 80 Hz
- Accepts separate, composite or sync-on-green
- Video compressed to JPEG-2000 format
- Compression ratios from 10:1 to 100:1
- Output frame rates from 1 to 15 fps
- Programmable features include:
  - Video timing
  - Compression ratio
  - Output frame rate
  - Time overlay
- Two MVID-501J-1 modules are supported per MnHSD-2000-1 stack
- Fully programmable using TTCWare software application

#### Description

The MVID-501J-1 module adds RGB video acquisition capability to the TTC MnHSD-2000-1 Miniature Network High-Speed Data Acquisition Unit. RGB data is captured and made available for transmission at lower, programmable frame rates.

The encoded video data is output by the host encoder for transmission and recording. The video is converted back to its original format using TTC's HDViewer or Ground Station System software (GSS).

The MVID-501J-1 has UTC time overlay capability and a timestamp is attached to the compressed video stream to facilitate retrieval during data playback.

Revision 05/13/2015

#### MVID-501J-1 Datasheet

©2015 Teletronics - A Curtiss-Wright Company  
Specifications subject to change without notice.

Approved for Public Release 16-S-1055

Teletronics - A Curtiss-Wright Company  
15 Terry Drive, Newtown, PA 18940  
phone: 267.352.2020 fax: 267.352.2021 Sales@ttcdas.com

[www.ttcdas.com](http://www.ttcdas.com)



Management  
System  
AS9100C  
ISO 9001:2008