


4-Channel MIL-STD-1553 Bus Monitor Interface Card



Applications

- 1553 avionics bus monitoring
- Flight Test Data Recording
- Flight Test Instrumentation
- Lab Test

Features

- For use in TTC's MUX-30XX products
- Four (4) independent 1553 Bus monitor channels
- Each 1553 bus monitor channel supports:
 - Dual redundancy
 - Direct or Transformer bus coupling
 - 1553 A/B and MACAIR
 - Time tag per IRIG chapter 10
 - 100% data recording
 - Selected data retrieval under CAIS bus control
- Interfaces to Customized 66Mhz- 32bit CompactPCI® Bus Interface
- Multiple XBIM-553Q can operate in a single chassis

Description

The XBIM-553Q is a 4-Channel 1553 bus monitor card for use in TTC's MUX-30XX products. The BIM-553Q card has four dual redundant 1553 channel inputs. Each channel is individually programmable for Enable/disable, 1553B or 1553A, Direct or Transformer coupled, and Response-Time time-out. Data acquired by the XBIM-553Q card is transported to the Overhead card memory via a customized high-speed CompactPCI® bus where data is stored on a data recorder. One or more XBIM-553Q cards can reside in a single MUX-30XX chassis.

Revision 05/12/2015

XBIM-533Q Datasheet

©2015 Teletronics - A Curtiss-Wright Company
 Specifications subject to change without notice.

Approved for Public Release 16-S-1373



CAIS
Compatible



Management
System
AS9100C
ISO 9001:2008

Teletronics - A Curtiss-Wright Company
 15 Terry Drive, Newtown, PA 18940
 phone: 267.352.2020 fax: 267.352.2021 Sales@ttcdas.com

www.ttcdas.com